



02-07	Recessed Luminaires
08-13	Surface Mounted Luminaires
14-15	Double Bulb Square Armature
16	Square Armature
17	Square Armature With Cage
18-20	Sensored Armature Plastic / Sensored Armature Glass
21	New Orkide Polycarbon
22	Sensored Wall Lamp
23	Double Bulb Vizyon
24-25	Double Bulb Trend
26-27	T5 Papatya / T5 Damla
28-29	Trend / Mini Trend
30-31	Ceiling Armature / Mini Ceiling Armature
32	Idea
33-38	Wall Lamp
39-41	32 Watt / 32 Watt Trend
42	32 Watt Two & Three Armed
43-44	32 Watt Era / Gala
45	40 Watt Fulya
46	72 Watt Fulya Double Floresant
47	Etanj
48	Outdoor Armature
49-50	Combination Boxes
51-53	Distribution Boxes
54	Thermo Plastic Boxes
55	Polyester Electrical Boards
56-57	Electronic / Mechanic Balast
58-59	Conduit Box / Electrical Boxes
60-61	Deluxe Conduit Box Cover / Cable Holder
62-63	Plastic Screw Socket
64	Cable Connector
65- 66	Plastic Pipe & Cable Holder / Sockets
67	Rotating & Flashing Lamp

> Light Distribution Curves



> Technical Drawing



TS 8698 TS-EN 60598-2-2 230 V 50 Hz


Code	Reflector	Current	Lamp	Luminous Flux	Condansator	Lamp Holder	Technical Dimensions			Volume (m <sup>3</sup> )	Weight (kg)	Boxes
							A	B	C			
3001	Double Par.	0.37	FL	1300	2 µF	G-23	595	145	65	1.8	1.60	2
3002	Double Par.	0.74	FL	2x1300	2.5 µF	G-23	315	595	65	0.030	1.98	2
3003	Double Par.	1.48	FL	4x1300	4.5 µF	G-23	595	595	65	0.560	3.44	2
3004	Double Par.	0.43	FL	3250	4.5 µF	G-23	1195	1216	65	2.6	2.60	2
3005	Double Par.	0.86	FL	2x3250	8 µF	G-23	315	1215	65	0.056	3.72	2
3006	Double Par.	1.92	FL	4x3250	16 µF	G-23	595	1215	65	0.140	6.97	2




### > Technical Specification

<b>Body</b>	: 0,50 mm DKP Sheet
<b>Reflector</b>	: 99 % Pure 0,40 mm Anodised Aluminium
<b>Ballast</b>	: TSE EN 60920-21
<b>Socket</b>	: TS EN-60400
<b>Cable</b>	: 1 mm <sup>2</sup> NYA
<b>Paint</b>	: Electrostatic Powder Paint
<b>Fields of Application</b>	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
<b>Note</b>	: Gloves, user manuel, fixation pars are given within the luminaires.

> Light Distribution Curves



> Technical Drawing



TS 8698 TS-EN 60598-2-2 230 V 50 Hz

Code	Reflector	Current	Lamp	Luminous Flux	Condansator	Lamp Holder	Technical Dimensions			Volume (m <sup>3</sup> )	Weight (kg)	Boxes
							A	B	C			
3007	Glass	0.37	FL	1300	2 µF	G-23	595	145	65	1.8	1.60	2
3008	Glass	0.74	FL	2x1300	2.5 µF	G-23	315	595	65	0.030	1.98	2
3009	Glass	1.48	FL	4x1300	4.5 µF	G-23	595	595	65	0.560	3.44	2
3010	Glass	0.43	FL	3250	4.5 µF	G-23	1195	1216	65	2.6	2.60	2
3011	Glass	0.86	FL	2x3250	8 µF	G-23	315	1215	65	0.056	3.72	2
3012	Glass	1.92	FL	4x3250	16 µF	G-23	595	1215	65	0.140	6.97	2




> Prismatic Diffuser

### > Technical Specification


---

<b>Body</b>	: 0,50 mm DKP Sheet
<b>Reflector</b>	: Prismatic Glasses
<b>Ballast</b>	: TSE EN 60920-21
<b>Socket</b>	: TS EN-60400
<b>Cable</b>	: 1 mm <sup>2</sup> NYA
<b>Paint</b>	: Electrostatic Powder Paint
<b>Fields of Application</b>	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
<b>Note</b>	: Gloves, user manual, fixation pars are given within the luminaires.

> Light Distribution Curves




> Technical Drawing



TS 8698 TS-EN 60598-2-2 230 V 50 Hz

Code	Reflector	Current	Lamp	Luminous Flux	Condansator	Lamp Holder	Technical Dimensions			Volume (m <sup>3</sup> )	Weight (kg)	Boxes
							A	B	C			
3013	Louver	0.37	FL	1300	2 µF	G-23	595	145	65	1.8	1.60	2
3014	Louver	0.74	FL	2x1300	2.5 µF	G-23	315	595	65	0.030	1.98	2
3015	Louver	1.48	FL	4x1300	4.5 µF	G-23	595	595	65	0.560	3.44	2
3016	Louver	0.43	FL	3250	4.5 µF	G-23	1195	1216	65	2.6	2.60	2
3017	Louver	0.86	FL	2x3250	8 µF	G-23	315	1215	65	0.056	3.72	2
3018	Louver	1.92	FL	4x3250	16 µF	G-23	595	1215	65	0.140	6.97	2






> **Technical Specification**


---

<b>Body</b>	: 0,50 mm DKP Sheet
<b>Reflector</b>	: Louver Cellular
<b>Ballast</b>	: TSE EN 60920-21
<b>Socket</b>	: TS EN-60400
<b>Cable</b>	: 1 mm <sup>2</sup> NYA
<b>Paint</b>	: Electrostatic Powder Paint
<b>Fields of Application</b>	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
<b>Note</b>	: Gloves, user manual, fixation pars are given within the luminaires.

> Light Distribution Curves



> Technical Drawing



TS 8698 TS-EN 60598-2-2 230 V 50 Hz

Code	Reflector	Current	Lamp	Luminous Flux	Condansator	Lamp Holder	Technical Dimensions			Volume (m <sup>3</sup> )	Weight (kg)	Boxes
							A	B	C			
3019	Double Par.	0.37	FL	1300	2 µF	G-23	210	650	55	0.008	1.80	2
3020	Double Par.	0.74	FL	2x1300	2.5 µF	G-23	360	650	55	0.012	2.36	2
3021	Double Par.	1.48	FL	4x1300	4.5 µF	G-23	650	650	55	0.023	4.10	2
3022	Double Par.	0.43	FL	3250	4.5 µF	G-23	210	1260	55	0.016	3.10	2
3023	Double Par.	0.86	FL	2x3250	8 µF	G-23	360	1260	55	0.24	4.10	2
3024	Double Par.	1.92	FL	4x3250	16 µF	G-23	650	1260	55	0.032	7.50	2






> Double Parapolic

### > Technical Specification


---

<b>Body</b>	: 0,50 mm DKP Sheet
<b>Reflector</b>	: 99 % Pure 0,30 mm Anodised Aluminium
<b>Ballast</b>	: TSE EN 60920-21
<b>Socket</b>	: TS EN-60400
<b>Cable</b>	: 1 mm <sup>2</sup> NYA
<b>Paint</b>	: Electrostatic Powder Paint
<b>Fields of Application</b>	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
<b>Note</b>	: Gloves, user manuel, fixation pars are given within the luminaires.

> Light Distribution Curves



> Technical Drawing



TS 8698 TS-EN 60598-2-2 230 V 50 Hz

Code	Reflector	Current	Lamp	Luminous Flux	Condansator	Lamp Holder	Technical Dimensions			Volume (m <sup>3</sup> )	Weight (kg)	Boxes
							A	B	C			
3025	Glass	0.37	FL	1300	2 µF	G-23	210	650	55	0.008	1.80	2
3026	Glass	0.74	FL	2x1300	2.5 µF	G-23	360	650	55	0.012	2.36	2
3027	Glass	1.48	FL	4x1300	4.5 µF	G-23	650	650	55	0.023	4.10	2
3028	Glass	0.43	FL	3250	4.5 µF	G-23	210	1260	55	0.016	3.10	2
3029	Glass	0.86	FL	2x3250	8 µF	G-23	360	1260	55	0.24	4.10	2
3030	Glass	1.92	FL	4x3250	16 µF	G-23	650	1260	55	0.032	7.50	2




> **Technical Specification**


---

<b>Body</b>	: 0,50 mm DKP Sheet
<b>Reflector</b>	: Louver Cellular
<b>Ballast</b>	: TSE EN 60920-21
<b>Socket</b>	: TS EN-60400
<b>Cable</b>	: 1 mm <sup>2</sup> NYA
<b>Paint</b>	: Electrostatic Powder Paint
<b>Fields of Application</b>	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
<b>Note</b>	: Gloves, user manuel, fixation pars are given within the luminaires.

> Light Distribution Curves



> Technical Drawing



TS 8698 TS-EN 60598-2-2 230 V 50 Hz

Code	Reflector	Current	Lamp	Luminous Flux	Condansator	Lamp Holder	Technical Dimensions			Volume (m <sup>3</sup> )	Weight (kg)	Boxes
							A	B	C			
3031	Louver	0.37	FL	1300	2 µF	G-23	210	650	55	0.008	1.80	2
3032	Louver	0.74	FL	2x1300	2.5 µF	G-23	360	650	55	0.012	2.36	2
3033	Louver	1.48	FL	4x1300	4.5 µF	G-23	650	650	55	0.023	4.10	2
3034	Louver	0.43	FL	3250	4.5 µF	G-23	210	1260	55	0.016	3.10	2
3035	Louver	0.86	FL	2x3250	8 µF	G-23	360	1260	55	0.24	4.10	2
3036	Louver	1.92	FL	4x3250	16 µF	G-23	650	1260	55	0.032	7.50	2



### > Technical Specification

---

<b>Body</b>	: 0,50 mm DKP Sheet
<b>Reflector</b>	: H 12 Prismatic Lens
<b>Ballast</b>	: TSE EN 60920-21
<b>Socket</b>	: TS EN-60400
<b>Cable</b>	: 1 mm <sup>2</sup> NYA
<b>Paint</b>	: Electrostatic Powder Paint
<b>Fields of Application</b>	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
<b>Note</b>	: Gloves, user manual, fixation pars are given within the luminaires.





> **1159**  
Elit Mega

ø 350 mm


> **1160-121**  
Elit Mega  
Walnut

**Max.  
2x26 W.**



**E-27**

**For Only  
Energy  
Saving Bulb**



> **131**  
Chrome

> **141**  
Nickel

> **151**  
Golden

> **161**  
Night Blue

> **171**  
Black

**1159** Elit Mega Double Bulb Square Armature  
**1160** Elit Mega Double Bulb Square Armature (Coloured)

Code	1159	1160
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurement (cm)	71x52x36	71x52x36
Shrink Volume (m <sup>3</sup> )	0,133	0,133
Shrink Weight (kg)	10,44	10,44








> **1160-101**  
Elit Mega  
Oak

> **1160-111**  
Elit Mega  
Mahogany

**Max.  
2x26 W.**



**For Only  
Energy  
Saving Bulb**

-   
 > 131  
Chrome
-   
 > 141  
Nickel
-   
 > 151  
Golden
-   
 > 161  
Night Blue
-   
 > 171  
Black

**1160** Elit Mega Double Bulb Square Armature (Coloured)


Code	<b>1160</b>
Quantity Per Box	1
Quantity Per Shrink	10
Shrink Measurement (cm)	71x52x36
Shrink Volume (m <sup>3</sup> )	0,133
Shrink Weight (kg)	10,44



**Max.  
26 W.**



**For Only  
Energy  
Saving Bulb**



1155 Elit Square Armature  
1156 Elit Square Armature (Coloured)

Code	1155	1156
Quantity Per Box	1	1
Quantity Per Shrink	24	24
Shrink Measurement (cm)	62x49x50	62x49x50
Shrink Volume (m <sup>3</sup> )	0,152	0,152
Shrink Weight (kg)	11,64	11,64



> **1157**  
Elit With Cage

ø 240 mm



> **1158-121**  
Elit With Cage  
Walnut



> **1158-101**  
Elit With Cage  
Oak



> **1158-111**  
Elit With Cage  
Mahogany

Max.  
26 W.



E-27

For Only  
Energy  
Saving Bulb



> **131**  
Chrome



> **141**  
Nickel



> **151**  
Golden



> **161**  
Night Blue



> **171**  
Black

- 1157 Elit With Cage Square Armature
- 1158 Elit With Cage Square Armature (Coloured)

Code	1157	1158
Quantity Per Box	1	1
Quantity Per Shrink	24	24
Shrink Measurement (cm)	62x49x50	62x49x50
Shrink Volume (m <sup>3</sup> )	0,152	0,152
Shrink Weight (kg)	12,98	12,98



> **1120**  
Comfort Soft



ø 300 mm



ø 300 mm

> **1121**  
Comfort




ø 350 mm

ø 285 mm

> **1128**  
Vizyon

Base = Plastic  
Cover = Plastic

**Max.**  
**2x25 W.**



**E-27**



> **101**  
Oak



> **111**  
Mahogany



> **121**  
Walnut



> **131**  
Chrome



> **141**  
Nickel



> **151**  
Golden



> **161**  
Night Blue



> **171**  
Black

<b>1120</b>	2x25 W. comfort soft sensor armature (white)
<b>1121</b>	2x25 W. comfort sensor armature (white)
<b>1122</b>	2x25 W. comfort soft sensor armature (coloured)
<b>1123</b>	2x25 W. comfort sensor armature (coloured)
<b>1128</b>	2x25 W. vizyon sensor armature (white)
<b>1129</b>	2x25 W. vizyon sensor armature (coloured)

Code	1120-1121	1122-1123	1128-1129
Quantity Per Box	1	1	1
Quantity Per Shrink	10	10	10
Shrink Measurement (cm)	63x55x31	63x55x31	58x52x36
Shrink Volume (m <sup>3</sup> )	0,107	0,107	0,109
Shrink Weight (kg)	7,34	8,45	7,70





> 1145  
Lila Glass


ø 300 mm



> 1146  
Vista Glass

Base = Plastic  
Cover = Glass

Max.  
2x25 W.



1145 Lila glass sensor armature  
1146 Vista glass sensor armature


Code	1145	1146
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurement (cm)	62x62x30	62x62x30
Shrink Volume (m <sup>3</sup> )	0,115	0,115
Shrink Weight (kg)	16,45	16,45



> **1130**  
Trend Sensored Glass

Base = Metallic  
Cover = Glass

**Max.**  
**2x25 W.**



**1130** Trend glass sensor armature

Code	<b>1130</b>
Quantity Per Box	1
Quantity Per Shrink	10
Shrink Measurement (cm)	60x55x30
Shrink Volume (m <sup>3</sup> )	0,099
Shrink Weight (kg)	13,10



> **1932**  
New Orkide

> **1933**  
New Orkide With Cage

> **1934**  
New Orkide With Head

**Max.  
60 W.**



**PC**



- 1932** 60 W. New orkide wall lamp (IP 67)
- 1933** 60 W. New orkide with cage wall lamp (IP 67)
- 1934** 60 W. New orkide with head wall lamp (IP 67)









Code	1932	1933	1934
Quantity Per Box	1	1	1
Quantity Per Shrink	32	32	32
Shrink Measurement (cm)	47x50x47	47x50x47	47x50x47
Shrink Volume (m <sup>3</sup> )	0,110	0,110	0,110
Shrink Weight (kg)	9,26	10,54	10,70



> **1927**  
Idea Sensored

**Max.  
60 W.**



-   
> **101**  
Oak
-   
> **111**  
Mahogany
-   
> **121**  
Walnut
-   
> **131**  
Chrome
-   
> **141**  
Nickel
-   
> **151**  
Golden
-   
> **161**  
Night Blue
-   
> **171**  
Black

**1927** Idea sensored wall lamp (white)  
**1928** Idea sensored wall lamp (coloured)

Code	1927	1928
Quantity Per Box	1	1
Quantity Per Shrink	20	20
Shrink Measurement (cm)	62x54x28	62x54x28
Shrink Volume (m <sup>3</sup> )	0,094	0,094
Shrink Weight (kg)	10,04	10,04




> 1124  
Double Bulb Vizyon



**Max.  
2x25 W.**



**For Only  
Energy  
Saving Bulb**



- 1124 2x25 W. Vizyon double bulb ceiling armature (white)  
1125 2x25 W. Vizyon double bulb ceiling armature (coloured)

Code	1124	1125
Quantity Per Box	2	2
Quantity Per Shrink	24	24
Shrink Measurement (cm)	80x36x62,5	80x36x62,5
Shrink Volume (m <sup>3</sup> )	0,180	0,180
Shrink Weight (kg)	13,180	13,90



> **1152**  
Trend Vizyon



> **1151**  
Trend Riva



ø 400 mm

**Max.  
2x25 W.**



**E-27**

**For Only  
Energy  
Saving Bulb**

**1151** Trend riva double bulb ceiling armature  
**1152** Trend vizyon double bulb ceiling armature

Code	1151	1152
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurement (cm)	81x53x40	81x53x40
Shrink Volume (m <sup>3</sup> )	0,172	0,172
Shrink Weight (kg)	10,24	10,40



> 1147  
Trend Papatya



> 1148  
Trend Atlas



ø 400 mm

> 1149  
Trend Damla



> 1150  
Trend Anatolia

Max.  
2x25 W.



For Only  
Energy  
Saving Bulb

- 1147 Trend Papatya double bulb ceiling armature
- 1148 Trend Atlas double bulb ceiling armature
- 1149 Trend Damla double bulb ceiling armature
- 1150 Trend Anatolia double bulb ceiling armature

Code	1147	1148	1149	1150
Quantity Per Box	1	1	1	1
Quantity Per Shrink	10	10	10	10
Shrink Measurement (cm)	81x53x40	81x53x40	81x53x40	81x53x40
Shrink Volume (m <sup>3</sup> )	0,172	0,172	0,172	0,172
Shrink Weight (kg)	10,58	10,90	10,90	10,90



> **1301**  
Metalized

ø 300 mm



> **1302**  
Transparent



> **1303**  
Night Blue



> **1304**  
Green



> **1305**  
Black




**E-27**



**75 Watt**

<b>1301</b>	75 w. Papatyá T5 armature metalized
<b>1302</b>	75 w. Papatyá T5 armature transparent
<b>1303</b>	75 w. Papatyá T5 armature night blue
<b>1304</b>	75 w. Papatyá T5 armature green
<b>1305</b>	75 w. Papatyá T5 armature black

Code	<b>1301-1302-1303-1304-1305</b>
Quantity Per Box	4
Quantity Per Shrink	32
Shrink Measurement (cm)	59x60x30
Shrink Volume (m <sup>3</sup> )	0,106
Shrink Weight (kg)	11,58




> **1306**  
Metalized

ø 300 mm

> **1307**  
Transparent

> **1308**  
Blue

> **1309**  
Pink



**E-27**

**75 Watt**

<b>1306</b>	75 w. Damla T5 armature metalized
<b>1307</b>	75 w. Damla T5 armature transparent
<b>1308</b>	75 w. Damla T5 armature blue
<b>1309</b>	75 w. Damla T5 armature pink

Code	<b>1306-1307-1308-1309</b>
Quantity Per Box	4
Quantity Per Shrink	32
Shrink Measurement (cm)	59x60x30
Shrink Volume (m <sup>3</sup> )	0,106
Shrink Weight (kg)	11,84



> 1115  
Trend Riva



ø 275 mm



> 1111  
Trend Soft



> 1112  
Trend

**Max.  
60 W.**



**E-27**



> 101  
Oak



> 111  
Mahogany



> 121  
Walnut



> 131  
Chrome



> 141  
Nickel



> 151  
Golden



> 161  
Night Blue



> 171  
Black

1111	60 W. Trend soft ceiling armature (white)
1112	60 W. Trend ceiling armature (white)
1115	60 W. Trend riva ceiling armature (white)
1113	60 W. Trend soft ceiling armature (coloured)
1114	60 W. Trend ceiling armature (coloured)
1116	60 W. Trend riva ceiling armature (coloured)

Code	1111-1112-1115	1113-1114-1116
Quantity Per Box	2	2
Quantity Per Shrink	24	24
Shrink Measurement (cm)	56x83x38	56x83x38
Shrink Volume (m <sup>3</sup> )	0,177	0,177
Shrink Weight (kg)	10,78	11,20





> 1126  
Mini Trend


ø 230 mm



> 1153  
Eco Trend

ø 190 mm

**Max.  
60 W.**



<b>1126</b> 60 W. Mini trend ceiling armature (white)	<b>Code</b>	<b>1126</b>	<b>1127</b>	<b>1153-1154</b>
<b>1153</b> 60 W. Eco trend ceiling armature (white)	<b>Quantity Per Box</b>	4	4	8
<b>1127</b> 60 W. Mini trend ceiling armature (coloured)	<b>Quantity Per Shrink</b>	48	48	64
<b>1154</b> 60 W. Eco trend ceiling armature (coloured)	<b>Shrink Measurement (cm)</b>	42x71x46	42x71x46	76x42x39
	<b>Shrink Volume (m<sup>3</sup>)</b>	0,137	0,137	0,124
	<b>Shrink Weight (kg)</b>	14,12	14,12	14,35



> **1102**  
Papatya

ø 235 mm



> **1105**  
Damla

ø 235 mm

**Max.  
60 W.**



**E-27**



> **101**  
Oak



> **111**  
Mahogany



> **121**  
Walnut



> **131**  
Chrome



> **141**  
Nickel



> **151**  
Golden



> **161**  
Night Blue



> **171**  
Black

<b>1102</b>	60 W. Papatya ceiling armature (white)
<b>1105</b>	60 W. Damla ceiling armature (white)
<b>1104</b>	60 W. Papatya ceiling armature (coloured)
<b>1107</b>	60 W. Damla ceiling armature (coloured)

Code	1102-1105	1104-1107
Quantity Per Box	4	4
Quantity Per Shrink	32	32
Shrink Measurement (cm)	48x48x45	48x48x45
Shrink Volume (m <sup>3</sup> )	0,104	0,104
Shrink Weight (kg)	11,10	11,60




> 1101  
Mini Damla

> 1106  
Mini Papatya

> 1109  
Mini Riva

**Max.  
60 W.**














1101	60 W. Mini damla ceiling armature (white)
1106	60 W. Mini papatya ceiling armature (white)
1109	60 W. Mini riva ceiling armature (white)
1103	60 W. Mini damla ceiling armature (coloured)
1108	60 W. Mini papatya ceiling armature (coloured)
1110	60 W. Mini riva ceiling armature (coloured)

Code	1101-1106-1109	1103-1108-1110
Quantity Per Box	4	4
Quantity Per Shrink	48	48
Shrink Measurement (cm)	40,5x60x43	40,5x60x43
Shrink Volume (m <sup>3</sup> )	0,104	0,104
Shrink Weight (kg)	13,75	13,75



> 1915  
Idea

> 1916  
Idea With Cage

**Max. 60 W.**












**E-27**
> 101 Oak
> 111 Mahogany
> 121 Walnut
> 131 Chrome
> 141 Nickel
> 151 Golden
> 161 Night Blue
> 171 Black

<b>1915</b> 60 W. Idea ceiling armature (white)	<b>Code</b>	<b>1915</b>	<b>1916</b>	<b>1917</b>	<b>1918</b>
<b>1916</b> 60 W. Idea with cage ceiling armature (white)	<b>Quantity Per Box</b>	2	2	2	2
<b>1917</b> 60 W. Idea ceiling armature (coloured)	<b>Quantity Per Shrink</b>	24	24	24	24
<b>1918</b> 60 W. Idea with cage ceiling armature (coloured)	<b>Shrink Measurement (cm)</b>	53x58,5x35,5	62x55x36	53x58,5x35,5	53x58,5x35,5
	<b>Shrink Volume (m<sup>3</sup>)</b>	0,110	0,123	0,110	0,110
	<b>Shrink Weight (kg)</b>	13,38	14,46	14,50	15,60




> **1901**  
Damla

> **1902**  
Papatya

**Max.  
60 W.**



**E-27**





<b>1901</b>	60 W. Papatya wall lamp (white)
<b>1902</b>	60 W. Damla wall lamp (white)
<b>1903</b>	60 W. Papatya wall lamp (coloured)
<b>1904</b>	60 W. Damla wall lamp (coloured)

Code	1901-1902	1903-1904
Quantity Per Box	4	4
Quantity Per Shrink	48	48
Shrink Measurement (cm)	66x52x34	52x64,5x33,5
Shrink Volume (m <sup>3</sup> )	0,117	0,112
Shrink Weight (kg)	15,18	15,70



> **1921**  
Vera Wall Lamp




> **1922**  
Vera Wall Lamp  
With Head


> **1923**  
Ilia  
Wall Lamp



**Max.  
60 W.**




	Code	1921	1922	1923	1924	1925	1926
1921 60 W. Vera wall lamp (white)							
1922 60 W. Vera wall lamp with head (white)	Quantity Per Box	4	4	4	4	4	4
1923 60 W. Ilia wall lamp (white)	Quantity Per Shrink	48	48	48	48	48	48
1924 60 W. Vera wall lamp (coloured)	Shrink Measurement (cm)	62x41x45	62x41x45	62x41x45	62x41x45	62x41x45	62x41x45
1925 60 W. Vera wall lamp with head (coloured)	Shrink Volume (m <sup>3</sup> )	0,114	0,114	0,114	0,114	0,114	0,114
1926 60 W. Ilia wall lamp (coloured)	Shrink Weight (kg)	14,12	14,50	14,24	14,12	13,95	14,12



> 1919  
Vista


> 1920  
Vista (Coloured)

**Max.  
60 W.**



**1919** 60 W. Vista wall lamp (white)  
**1920** 60 W. Vista wall lamp (coloured)



Code	1919	1920
Quantity Per Box	4	4
Quantity Per Shrink	48	48
Shrink Measurement (cm)	35x64x45	52x64x33
Shrink Volume (m <sup>3</sup> )	0,101	0,110
Shrink Weight (kg)	14,22	13,40




> **1911**  
Riva

> **1912**  
Papatya


Max.  
60 W.


**E-27**




> **101**  
Oak




> **111**  
Mahogany




> **121**  
Walnut




> **131**  
Chrome




> **141**  
Nickel



> **151**  
Golden




> **161**  
Night Blue



> **171**  
Black

- 1911** 60 W. Riva moon wall lamp (white)
- 1912** 60 W. Papatya moon wall lamp (white)
- 1913** 60 W. Riva moon wall lamp (coloured)
- 1914** 60 W. Papatya moon wall lamp (coloured)

Code	1911-1912	1913-1914
Quantity Per Box	4	4
Quantity Per Shrink	48	48
Shrink Measurement (cm)	53x60x31,5	53x60x31,5
Shrink Volume (m <sup>3</sup> )	0,100	0,100
Shrink Weight (kg)	12,00	12,00



> 1908  
Damla

> 1909  
Papatya

> 1910  
Ivy

ø 195 mm

ø 200 mm

**Max.  
60 W.**



<b>1908</b>	60 W. Damla wall lamp
<b>1909</b>	60 W. Papatya wall lamp
<b>1910</b>	60 W. Ivy wall lamp

Code	1908	1122-1123	1128-1129
Quantity Per Box	4	4	4
Quantity Per Shrink	48	48	48
Shrink Measurement (cm)	51x62x44	51x62x44	51x62x44
Shrink Volume (m <sup>3</sup> )	0,140	0,140	0,140
Shrink Weight (kg)	14,34	15,00	15,00



> **1905**  
Yelken Ege

ø 175 mm



ø 235 mm

> **1906**  
Yelken Bahar



> **1907**  
Yelken Soft

**Max.  
60 W.**



**E-27**



**1905** 60 W. Yelken ege wall lamp

**1906** 60 W. Yelken bahar wall lamp

**1907** 60 W. Yelken soft wall lamp

Code	1905	1906	1907
Quantity Per Box	2	2	2
Quantity Per Shrink	32	32	32
Shrink Measurement (cm)	50x73x39,5	50x73x39,5	50x73x39,5
Shrink Volume (m <sup>3</sup> )	0,144	0,144	0,144
Shrink Weight (kg)	10,20	11,15	11,15





32 Watt

1200	Papatya	Metalized circle armature (mechanic)
1211	Atlas	Metalized circle armature (mechanic)
1201	Damla	Metalized circle armature (mechanic)
1212	Anatolia	Metalized circle armature (mechanic)
1204	Papatya	Metalized circle armature (electronic)
1213	Atlas	Metalized circle armature (electronic)
1205	Damla	Metalized circle armature (electronic)
1214	Anatolia	Metalized circle armature (electronic)

Code	1200-1201-1211-1212	1204-1205-1213-1214
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurement (cm)	72x49x36	72x52,5x36
Shrink Volume (m <sup>3</sup> )	0,127	0,136
Shrink Weight (kg)	12,98	8,80



> **1255**  
Trend Papatya




> **1256**  
Trend Atlas



> **1258**  
Trend Anatolia



> **1257**  
Trend Damla



32 Watt

- 1255 Trend Papatya Metalized circle armature (mechanic)
- 1256 Trend Atlas Metalized circle armature (mechanic)
- 1257 Trend Damla Metalized circle armature (mechanic)
- 1258 Trend Anatolia Metalized circle armature (mechanic)
- 1259 Trend Papatya Metalized circle armature (electronic)
- 1260 Trend Atlas Metalized circle armature (electronic)
- 1261 Trend Damla Metalized circle armature (electronic)
- 1262 Trend Anatolia Metalized circle armature (electronic)

Code	1255-1256-1257-1258	1259-1260-1261-1262
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurement (cm)	81x53x40	81x53x40
Shrink Volume (m <sup>3</sup> )	0,172	0,172
Shrink Weight (kg)	14,18	11,00




> **1263**  
Trend Riva



ø 400 mm

> **1264**  
Trend Vizyon



32 Watt

<b>1263</b>	Trend Riva	Metalized circle armature (mechanic)
<b>1264</b>	Trend Vizyon	Metalized circle armature (mechanic)
<b>1265</b>	Trend Riva	Metalized circle armature (electronic)
<b>1266</b>	Trend Vizyon	Metalized circle armature (electronic)

Code	1263	1264	1265	1266
Quantity Per Box	1	1	1	1
Quantity Per Shrink	10	10	10	10
Shrink Measurement (cm)	81x53x40	81x53x40	81x53x40	81x53x40
Shrink Volume (m <sup>3</sup> )	0,172	0,172	0,172	0,172
Shrink Weight (kg)	14,48	14,75	10,80	10,75




> **1202**  
Two Armed

ø 310 mm



> **1203**  
Three Armed



32 Watt

- 1202** Two Armed circle armature (mechanic)
- 1203** Three Armed circle armature (mechanic)
- 1206** Two Armed circle armature (electronic)
- 1207** Three Armed circle armature (electronic)

Code	1202	1203	1206	1207
Quantity Per Box	1	1	1	1
Quantity Per Shrink	15	10	15	10
Shrink Measurement (cm)	43x64,5x31,5	50,5x70,5x28,5	43x64,5x31,5	50,5x70,5x28,5
Shrink Volume (m <sup>3</sup> )	0,087	0,101	0,087	0,101
Shrink Weight (kg)	12,55	9,15	9,00	6,50





> **1215**  
Metalized

ø 367 mm



> **1216**  
Transparent




> **1217**  
Night Blue



> **1218**  
Green



> **1219**  
Black



32 Watt

- 1215 32 W. Era circle armature metalized (mechanic)
- 1216 32 W. Era circle armature transparent (mechanic)
- 1217 32 W. Era circle armature night blue (mechanic)
- 1218 32 W. Era circle armature green (mechanic)
- 1219 32 W. Era circle armature black (mechanic)
- 1224 32 W. Era circle armature metalized (electronic)
- 1225 32 W. Era circle armature transparent (electronic)
- 1226 32 W. Era circle armature night blue (electronic)
- 1227 32 W. Era circle armature green (electronic)
- 1228 32 W. Era circle armature black (electronic)

Code	1215-1216-1217-1218-1219	1224-1225-1226-1227-1228
Quantity Per Box	1	1
Quantity Per Shrink	8	8
Shrink Measurement (cm)	55x73x36	47x75x47
Shrink Volume (m <sup>3</sup> )	0,145	0,166
Shrink Weight (kg)	10,75	7,55



> 1220  
Metalized



∅ 367 mm




> 1221  
Transparent



> 1222  
Blue



> 1223  
Pink



32 Watt

1220	32 W. Gala circle armature metalized (mechanic)
1221	32 W. Gala circle armature transparent (mechanic)
1222	32 W. Gala circle armature blue (mechanic)
1223	32 W. Gala circle armature pink (mechanic)
1229	32 W. Gala circle armature metalized (electronic)
1230	32 W. Gala circle armature transparent (electronic)
1231	32 W. Gala circle armature blue (electronic)
1232	32 W. Gala circle armature pink (electronic)

Code	1220-1221-1222-1223	1229-1230-1231-1232
Quantity Per Box	1	1
Quantity Per Shrink	8	8
Shrink Measurement (cm)	55x73x36	47x75x47
Shrink Volume (m <sup>3</sup> )	0,145	0,166
Shrink Weight (kg)	10,75	7,14




> **1234**  
Transparent



> **1235**  
Green



> **1236**  
Pink



40 Watt

- 1234** 40 W. Fulya circle armature transparent (mechanic)
- 1235** 40 W. Fulya circle armature green (mechanic)
- 1236** 40 W. Fulya circle armature pink (mechanic)
- 1242** 40 W. Fulya circle armature transparent (electronic)
- 1243** 40 W. Fulya circle armature green (electronic)
- 1244** 40 W. Fulya circle armature pink (electronic)

Code	1234-1235-1236	1242-1243-1244
Quantity Per Box	1	1
Quantity Per Shrink	5	5
Shrink Measurement (cm)	47x75x47	47x75x47
Shrink Volume (m <sup>3</sup> )	0,166	0,166
Shrink Weight (kg)	8,35	6,35


> **1238**  
Transparent



> **1239**  
Green



> **1240**  
Pink



<b>1238</b>	72 W. Fulya circle armature transparent (mechanic)
<b>1239</b>	72 W. Fulya circle armature green (mechanic)
<b>1240</b>	72 W. Fulya circle armature pink (mechanic)
<b>1246</b>	72 W. Fulya circle armature transparent (electronic)
<b>1247</b>	72 W. Fulya circle armature green (electronic)
<b>1248</b>	72 W. Fulya circle armature pink (electronic)

Code	1238-1239-1240	1246-1247-1248
Quantity Per Box	1	1
Quantity Per Shrink	5	5
Shrink Measurement (cm)	47x75x47	47x75x47
Shrink Volume (m <sup>3</sup> )	0,166	0,166
Shrink Weight (kg)	11,00	7,00



> 1290  
2x36

> 1287  
1x18

> 1289  
1x36

> 1288  
2x18



18 Watt

36 Watt

Code	1287 1x18 W. Mechanic	1288 2x18 W. Mechanic	1289 1x36 W. Mechanic	1290 2x36 W. Mechanic	1291 1x18 W. Electronic	1292 2x18 W. Electronic	1293 1x36 W. Electronic	1294 2x36 W. Electronic
Quantity Per Box	2	2	2	2	2	2	2	2
Shrink Measurement (cm)	68x20x16	68x20x16	130x20x16	130x20x16	68x20x16	68x20x16	130x20x16	130x20x16
Shrink Volume (m <sup>3</sup> )	0,022	0,022	0,042	0,042	0,022	0,022	0,042	0,042
Shrink Weight (kg)	5,20	6,20	6,60	7,60	4,40	5,40	5,00	6,00



> **1271**  
160 Watt  
(IP 54)



> **1272**  
125 Watt  
(IP 54)



> **1273**  
250 Watt  
(IP 65)



> **1274**  
400 Watt  
(IP 65)



- 1271** 160 W. Armature
- 1272** 125 W. Mercury vapour armature
- 1273** 250 W. Mercury vapour armature
- 1274** 400 W. Mercury vapour armature

Code	1271	1272	1273	1274
Quantity Per Box	1	1	1	1
Quantity Per Shrink	5	5	5	5
Shrink Measurement (cm)	77x55,5x31	77x55,5x31	71,5x36x118	71,5x36x91
Shrink Volume (m <sup>3</sup> )	0,132	0,132	0,304	0,247
Shrink Weight (kg)	12,50	17,85	27,50	29,50



> **2214**  
120x205 mm  
Combination Box (Empty)



> **2215**  
120x205 mm  
Combination Box



- 2214** 120x205 1 Modules Combination Box (Empty)
- 2215** 1 Modules Combination Box  
(1 Pcs. 3x25A Trifazed + 2 Pcs. Monofazed Plug)
- 2216** 1 Modules Combination Box  
(1 Pcs. 5x16A Trifazed + 2 Pcs. Monofazed Plug)
- 2217** 1 Modules Combination Box  
(1 Pcs. 5x32A Trifazed + 2 Pcs. Monofazed Plug)

Code	2214	2215	2216	2217
Quantity Per Box	1	1	1	1
Quantity Per Shrink	18	18	18	18
Shrink Measurement (cm)	51x46x46	51x46x46	51x46x46	51x46x46
Shrink Volume (m <sup>3</sup> )	0,108	0,108	0,108	0,108
Shrink Weight (kg)	9,64	13,10	13,26	13,40

> **2218**  
180x270 mm  
Combination Box (Empty)



> **2219**  
180x270 mm  
Combination Box



<b>2218</b>	180x270 2 Modules Combination Box (Empty)
<b>2219</b>	2 Modules Combination Box (2 Pcs. 3x25A Trifazed + 2 Pcs. Monofazed Plug)
<b>2220</b>	2 Modules Combination Box (2 Pcs. 5x16A Trifazed + 2 Pcs. Monofazed Plug)
<b>2221</b>	2 Modules Combination Box (2 Pcs. 5x32A Trifazed + 2 Pcs. Monofazed Plug)
<b>2222</b>	2 Modules Combination Box (1 Pcs. 3x25A Trifazed + 1 Pcs. 5x16A Trifazed + 2 Pcs. Monofazed Plug)

Code	2218	2219	2220	2221	2222
Quantity Per Box	1	1	1	1	1
Quantity Per Shrink	12	12	12	12	12
Shrink Measurement (cm)	70x60x32	70x60x32	70x60x32	70x60x32	70x60x32
Shrink Volume (m <sup>3</sup> )	0,134	0,134	0,134	0,134	0,134
Shrink Weight (kg)	12,50	15,84	16,40	17,00	16,20



> **2001**  
Surface Mount  
2 Max. Circuit Breakers



> **2002**  
Surface Mount  
4 Max. Circuit Breakers

**2001** Circuit Box (1-2)  
**2002** Circuit Box (3-4)

Code	2001	2002
Quantity Per Box	20	10
Quantity Per Shrink	240	120
Shrink Measurement (cm)	53x53x42	45x67x37,5
Shrink Volume (m <sup>3</sup> )	0,118	0,107
Shrink Weight (kg)	15,60	12,30



> **2003**  
Flush Mount  
6 Max. Circuit Breakers  
> **2013**  
Flush Mount  
6 Max. Circuit Breakers  
Without Connector



> **2005**  
Flush Mount  
9 Max. Circuit Breakers  
> **2015**  
Flush Mount  
9 Max. Circuit Breakers  
Without Connector



> **2007**  
Flush Mount  
12 Max. Circuit Breakers  
> **2017**  
Flush Mount  
12 Max. Circuit Breakers  
Without Connector



> **2004**  
Surface Mount  
6 Max. Circuit Breakers  
> **2014**  
Surface Mount  
6 Max. Circuit Breakers  
Without Connector



> **2006**  
Surface Mount  
9 Max. Circuit Breakers  
> **2016**  
Surface Mount  
9 Max. Circuit Breakers  
Without Connector



> **2008**  
Surface Mount  
12 Max. Circuit Breakers  
> **2018**  
Surface Mount  
12 Max. Circuit Breakers  
Without Connector

<b>2003</b>	Flush Mount	6 max. circuit breakers
<b>2004</b>	Surface Mount	6 max. circuit breakers
<b>2005</b>	Flush Mount	9 max. circuit breakers
<b>2006</b>	Surface Mount	9 max. circuit breakers
<b>2007</b>	Flush Mount	12 max. circuit breakers
<b>2008</b>	Surface Mount	12 max. circuit breakers

Code	2003-2013	2004-2014	2005-2015	2006-2016	2007-2017	2008-2018
Quantity Per Box	1	1	1	1	1	1
Quantity Per Shrink	36	36	24	24	12	12
Shrink Measurement (cm)	53x41x44	53x41x44	66x36x42	66x33x42	60x31,5x42	60x31,5x42
Shrink Volume (m <sup>3</sup> )	0,095	0,095	0,100	0,091	0,080	0,080
Shrink Weight (kg)	13,60	14,34	11,80	11,94	8,50	9,75



**> 2009**  
Surface Mount  
16 Max.Circuit Breakers  
**> 2019**  
Surface Mount  
16 Max.Circuit Breakers  
Without Connector



**> 2011**  
Surface Mount  
24 Max.Circuit Breakers  
**> 2021**  
Surface Mount  
24 Max.Circuit Breakers  
Without Connector



**> 2010**  
Surface Mount  
16 Max.Circuit Breakers  
**> 2020**  
Surface Mount  
16 Max.Circuit Breakers  
Without Connector



**> 2012**  
Surface Mount  
24 Max.Circuit Breakers  
**> 2022**  
Surface Mount  
24 Max.Circuit Breakers  
Without Connector

**2009** Flush Mount 16 max. circuit breakers  
**2010** Surface Mount 16 max. circuit breakers  
**2011** Flush Mount 24 max. circuit breakers  
**2012** Surface Mount 24 max. circuit breakers

Code	2009-2019	2010-2020	2011-2021	2012-2022
Quantity Per Box	1	1	1	1
Quantity Per Shrink	12	12	8	8
Shrink Measurement (cm)	67x47x31	67x47x31	66x36x46	66x36x46
Shrink Volume (m <sup>3</sup> )	0,098	0,098	0,110	0,110
Shrink Weight (kg)	9,80	10,58	12,00	13,50





> **2213**  
Ø 90 mm



> **2210**  
110x110x70 mm



> **2211**  
110x180x70 mm



> **2212**  
180x270x100 mm



> **2223**  
180x270x100 mm



<b>2210</b>	110x110x70 Thermo plastic conduit box (IP 67)
<b>2211</b>	110x180x70 Thermo plastic conduit box (IP 67)
<b>2212</b>	180x270x100 Thermo plastic conduit box (IP 67)
<b>2213</b>	Ø 90 Thermo plastic conduit box (IP 54)
<b>2223</b>	180x270x100 Thermo plastic conduit box (Transparent cover, IP 67)

Code	2210	2211	2212	2213	2223
Quantity Per Box	10	6	2	24	2
Quantity Per Shrink	100	60	24	240	24
Shrink Measurement (cm)	46x61x37	46x61x37	62x57x40	36x72,5x36	62x57x40
Shrink Volume (m <sup>3</sup> )	0,104	0,104	0,141	0,094	0,141
Shrink Weight (kg)	20,15	18,00	17,65	18,00	17,65



> **1328**  
20x30x12 cm



> **1332**  
40x60x22 cm



> **1329**  
25x30x17 cm



> **1330**  
30x40x17 cm




> **1331**  
35x50x17 cm



- 1328** 20x30x12 Polyester electrical board
- 1329** 25x30x17 Polyester electrical board
- 1330** 30x40x17 Polyester electrical board
- 1331** 35x50x17 Polyester electrical board
- 1332** 40x60x22 Polyester electrical board

Code	1328	1329	1330	1331	1332
Quantity Per Box	1	1	1	1	1
Quantity Per Shrink	10	10	8	6	3
Shrink Measurement (cm)	63x43x33	94x53x33	75x61x43	70x57x53	67x61x42
Shrink Volume (m <sup>3</sup> )	0,089	0,164	0,197	0,211	0,172
Shrink Weight (kg)	22,90	35,85	34,25	37,00	27,70



> **1208**  
18 Watt


> **1209**  
32 Watt

> **1210**  
36 Watt

**Input: 220-240 V**

<b>1208</b>	18 W. Electronic balast
<b>1209</b>	32 W. Electronic balast
<b>1210</b>	36 W. Electronic balast

Code	1208	1209	1210
Quantity Per Box	1	1	1
Quantity Per Shrink	30	30	30
Shrink Measurement (cm)	16,5x26,5x21	16,5x26,5x21	16,5x26,5x21
Shrink Volume (m <sup>3</sup> )	0,01	0,01	0,01
Shrink Weight (kg)	3,15	3,15	3,15



> **1249**  
10-13 W. Compact

> **1275**  
125 Watt

> **1278**  
11 W. Compact

> **1250**  
18 W. Compact

> **1276**  
250 Watt

> **1251**  
26 W. Compact

> **1252**  
18 Watt

> **1277**  
400 Watt

> **1253**  
32 Watt

> **1254**  
36 Watt

- 1249 10-13 W. Compact mechanic balast
- 1278 11 W. Compact mechanic balast
- 1250 18 W. Compact mechanic balast
- 1251 26 W. Compact mechanic balast
- 1252 18 W. Mechanic balast
- 1253 32 W. Mechanic balast
- 1254 36 W. Mechanic balast
- 1275 125 W. Mechanic balast (mercury vapour)
- 1276 250 W. Mechanic balast (mercury vapour)
- 1277 400 W. Mechanic balast (mercury vapour)

Code	1249-1278-1250	1251-1252-1253-1254	1275-1276-1277
Quantity Per Box	1	1	1
Quantity Per Shrink	60	48	10
Shrink Measurment (cm)	25x22x18	28x22x16	25x22x18
Shrink Volume (m <sup>3</sup> )	0,010	0,010	0,010
Shrink Weight (kg)	17,35	23,20	22,00

> **2201**  
8,5x8,5x3,5 cm



> **2205**  
20x20 cm Black




> **2204**  
13x13 cm Black




> **2203**  
10x10 cm Black



> **2209**  
20x20 cm Orange



> **2208**  
13x13 cm Orange



> **2207**  
10x10 cm Orange

Code	2201	2203	2204	2205	2207	2208	2209
Quantity Per Box	20	60	25	10	60	25	10
Quantity Per Shrink	240	180	150	60	180	150	60
Shrink Measurement (cm)	37x56x40	70x47x33	43,5x72x47	43,5x72x47	70x47x33	43,5x72x47	43,5x72x47
Shrink Volume (m <sup>3</sup> )	0,083	0,108	0,147	0,147	0,108	0,147	0,147
Shrink Weight (kg)	13,72	14,90	17,94	18,86	14,46	17,88	18,10





> **1802**  
Connectable Box (Black)



> **1803**  
Connectable Box (Orange)



> **1805**  
Surface Division Box (Black)



> **1806**  
Surface Division Box (Orange)

Code	1801	1802	1803	1804	1805	1806
Quantity Per Box	100	100	100	100	100	100
Quantity Per Shrink	500	500	500	500	500	500
Shrink Measurement (cm)	75x62x42	75x62x42	75x62x42	75x62x42	75x62x42	75x62x42
Shrink Volume (m <sup>3</sup> )	0,195	0,195	0,195	0,195	0,195	0,195
Shrink Weight (kg)	16,80	14,50	17,90	15,0	14,90	15,0



> **2401**  
Flat (ø 90 mm)




> **2402**  
Convex (ø 90 mm)



> **2403**  
Convex Screwed  
(ø 90 mm)

> **2404**  
Convex (ø 120 mm)



> **1809**  
Norm Junction Boxes (14-18 Outlet)


> **1810**  
Norm Junction Boxes (14-18 Outlet)  
Without Cover



> **1807**  
Norm Junction Boxes (14-18 Outlet)

> **1808**  
Norm Junction Boxes (14-18 Outlet)  
Without Cover

Code	1807-1809	1808-1810	2401	2402	2403	2404
Quantity Per Box	100	100	100	100	100	50
Quantity Per Shrink	300	300	2000	2000	2000	1000
Shrink Measurement (cm)	75x62x42	75x62x42	70x106x27	70x106x27	70x106x27	70x106x27
Shrink Volume (m <sup>3</sup> )	0,195	0,195	0,200	0,200	0,200	0,200
Shrink Weight (kg)	14,26	9,76	21,60	20,45	22,45	16,60



Code	1605	1606	1607	1608	1609	1610	1611	1612	1613
Quantity Per Box	1000	1000	1000	1000	1000	1000	1000	100	100
Quantity Per Shrink	2000	2000	2000	2000	2000	1000	1000	3000	2000
Shrink Measurement (cm)	25,5x50x25,5	25,5x50x25,5	24,5x48,5x30	30x43x35,5	36x44x40	36x44x40	36x44x40	24,5x48,5x30	24,5x48,5x30
Shrink Volume (m <sup>3</sup> )	0,033	0,033	0,036	0,046	0,063	0,063	0,063	0,036	0,036
Shrink Weight (kg)	14,00	13,70	14,00	20,00	26,65	21,40	24,30	11,00	11,50



> **1501**  
6 mm



> **1502**  
7 mm



> **1503**  
8 mm



> **1503-K**  
8 mm (Cornered)



> **1504**  
10 mm



> **1505**  
12 mm



> **1506**  
14 mm



> **1507**  
Canal Socket



> **1508**  
Cornice Socket

Code	1501	1502	1503	1503-K	1504	1505	1506	1507	1508
Quantity Per Box	2000	1500	1000	1000	500	250	150	500	500
Quantity Per Shrink	40 000	30 000	20 000	20 000	10 000	5000	3000	10 000	10 000
Shrink Measurement (cm)	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45
Shrink Volume (m <sup>3</sup> )	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081
Shrink Weight (kg)	18,60	20,20	19,40	19,80	19,40	17,20	17,40	15,40	21,00



> **1509**  
Surface Division Socket



> **1510**  
Surface Division Socket



> **1511**  
Isolation Socket (Blue)




> **1512**  
Isolation Socket (Black)



> **1513**  
Long Socket  
(8x60 mm)



> **1514**  
Long Socket  
(8x80 mm)



> **1515**  
Long Socket  
(8x100 mm)



> **1516**  
Brick Socket (8 mm)



> **1517**  
Brick Socket (10 mm)



> **1518**  
Cable Holder With Socket

Code	1509	1510	1511-S	1512-S	1511	1512	1513	1514	1515	1516	1517	1518
Quantity Per Box	250	500	500	500	500	500	500	500	500	500	500	250
Quantity Per Shrink	5000	20 000	10 000	10 000	10 000	10 000	20 000	15000	10 000	10 000	10 000	5000
Shrink Measurement (cm)	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45
Shrink Volume (m <sup>3</sup> )	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081
Shrink Weight (kg)	17,00	18,00	18,00	18,00	18,00	18,00	18,00	18,00	18,00	16,00	18,00	18,00





> **2108**  
No:4 (Nonflammable)



> **2101**  
No:1 (Plastic)



> **2107**  
No:3 (Nonflammable)



> **2102**  
No:2 (Plastic)



> **2106**  
No:2 (Nonflammable)



> **2103**  
No:3 (Plastic)



> **2105**  
No:1 (Nonflammable)



> **2104**  
No:4 (Plastic)

Code	2101	2102	2103	2104	2105	2106	2107	2108
Quantity Per Box	50	50	50	50	50	50	50	50
Quantity Per Shrink	100	1000	500	500	100	1000	500	500
Shrink Measurement (cm)	36x45x26,5	35x42x39	31x55x24	32x64x21	36x45x26,5	35x42x39	31x55x24	32x64x21
Shrink Volume (m <sup>3</sup> )	0,043	0,057	0,041	0,043	0,043	0,057	0,041	0,043
Shrink Weight (kg)	28,80	32,85	25,35	27,10	32,30	35,60	26,00	29,85

**DOUBLE**



> 1717  
32 mm



> 1716  
27 mm



> 1715  
25 mm



> 1714  
22 mm



> 1713  
20 mm



> 1712  
18 mm



> 1711  
16 mm

**SINGLE**



> 1709  
40 mm



> 1708  
32 mm



> 1707  
27 mm



> 1706  
25 mm



> 1705  
22 mm



> 1704  
20 mm



> 1703  
18 mm



> 1702  
16 mm



> 1701  
12 mm

Code	1701	1702	1703	1704	1705	1706	1707	1708	1709	1711	1712	1713	1714	1715	1716	1717
Quantity Per Box	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Quantity Per Shrink	5000	5000	4000	3000	3000	2500	2500	2000	2000	5500	4000	2500	2000	2000	1500	1000
Shrink Measurement (cm)	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67
Shrink Volume (m <sup>3</sup> )	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074
Shrink Weight (kg)	10,20	12,20	12,20	11,00	12,20	12,20	15,20	14,20	16,80	24,50	22,30	16,70	14,60	16,60	16,00	13,50



> **1401**  
TMS Type Single Socket



> **1404**  
Fluorescent Holder



> **1413**  
Italian Holder



> **1402**  
TMS Type Double Socket



> **1405**  
32 W. Cube Socket



> **1403**  
Starter Socket



> **1409**  
Lamp Rozans




> **1406**  
Socket With Starter Hole



> **1407**  
Lamp Holder Set  
(Porcelain Socket)



> **1408**  
Lamp Holder



> **1412**  
Lamp Holder Set  
(Porcelain Socket)

Code	1401	1402	1403	1404	1405	1406	1407	1408	1409	1411	1412
Quantity Per Box	50	25	50	250	500	500	25	1000	1000	25	25
Quantity Per Shrink	500	250	500	5000	500	500	500	1000	1000	2000	500
Shrink Measurement (cm)	36x28x57,5	36x28x57,5	17x7x15	65x20x15	25x15x20	20x8x16	58x50x32	110x70x36	80x59x36	46x23x43	58x50x32
Shrink Volume (m <sup>3</sup> )	0,058	0,058	0,002	0,020	0,007	0,002	0,093	0,277	0,169	0,045	0,093
Shrink Weight (kg)	30,60	18,90	2,35	9,30	8,45	2,80	25,96	19,20	10,20	9,00	22,54

> **1018**  
Yellow



> **1019**  
Red



> **1020**  
Blue



> **1021**  
Green

Code	1018-1019-1020-1021 (ROTATING 220 V.)	1022-1023-1024-1025 (ROTATING 12 V. AC)	1026-1027-1028-1029 (ROTATING 24 V. AC)	1030-1031-1032-1033 (FLASHING 220 V.)
Quantity Per Box	1	1	1	1
Quantity Per Shrink	10	10	10	10
Shrink Measurement (cm)	29x72,5x19,5	29x72,5x19,5	29x72,5x19,5	29x72,5x19,5
Shrink Volume (m <sup>3</sup> )	0,041	0,041	0,041	0,041
Shrink Weight (kg)	6,00	6,00	6,00	4,20



